

Clean...

...everywhere in every way

Recommended for professional users



	<i>Product description, area of application:</i>	<i>Dosage:</i>	<i>Temperature/ Contact time:</i>	<i>Packaging:</i>
<b>PROFESSIONAL KITCHENS - HYGIENE</b>	<i>Cleaning of stainless steel surfaces, grills and ovens, removal of oil, burnt grease, dirt and soot from surfaces</i>			
	<b>INNOFLUID ALK G</b> strongly alkaline cleaner, soot remover. Not recommended to use on non-ferrous metal surfaces, like aluminium, bronze, zinc and its alloys, because can damage these surfaces.	10-100%	20-90 °C / 10 min-4h	1 / 5 / 20 litre
	<b>INNO-GRILL</b> strongly alkaline grill cleaner, cold degreaser. Not recommended to use on non-ferrous metal surfaces, like aluminium, bronze, zinc and its alloys.	10-50%	90 °C / 5 min-2h	750 ml, 5 / 20 litre
	<b>ALU-CLEAN</b> highly efficient cleaner for removal of oil, grease, soot and other dirt from aluminium, bronze, zinc and its alloy surfaces.	3-20%	25-70 °C 5/30/180 min	5 litre
	<i>Highly efficient disinfectant cleaners for industrial kitchens equipment, tools and cooking devices</i>			
	<b>INNOFLUID TF-KLÓR M</b> active chlorine containing, disinfectant liquid hand dishwashing detergent, with bactericidal, fungicidal effect.	1-2%	40 °C / 10-5 min	1 / 5 / 20 litre
	<b>INNO-MF M</b> high foaming, disinfectant, liquid hand dishwashing detergent, with bactericidal, fungicidal effect, chlorine free.	2%	40 °C / 5 min	1 / 5 / 20 litre
	<b>INNOFLUID MF M/2</b> alcohol containing, disinfectant liquid hand dishwashing detergent, with bactericidal, fungicidal effect; can be used as surface disinfectant as well.	1,5%	40 °C / 5 min 20 °C / 10 min	1 / 5 / 20 litre
	<b>INNO-DISH STAR</b> high foaming, disinfectant liquid hand dishwashing detergent, with bactericidal, yeasticidal and fungicidal effect.	0,7-1% 0,5%	40 °C / 5 min 40 °C / 15 min	1 / 5 / 20 litre
	<b>INNOPON disinfectant hand dishwashing powder</b> active chlorine containing, high foaming, bactericidal, yeasticidal, fungicidal hand dishwashing powder.	1-3%	40 °C / 5 min 20 °C / 15 min	20 kg
	<b>INNOPON TF-KLÓR M</b> active chlorine containing disinfectant hand dishwashing powder, with bactericidal, fungicidal effect.	1-3%	40 °C / 5 min 20 °C / 15 min	1 / 5 / 20 kg
	<i>Hand dishwashing -degreasing, 3 phase dishwashing</i>			
	<b>INNOFLUID ALK M</b> highly efficient hand dishwashing detergent and cleaner, with increased degreasing effect; gentle to hands.	0,5-2%	30-50 °C	5 / 20 litre
	<b>INNOFLUID ALK MS</b> liquid hand dishwashing detergent, with increased degreasing effect; gentle to hands.	0,2-2%	30-50 °C	1 / 5 / 20 litre
<b>INNOPON MD/TAK</b> cleaning powder, with excellent degreasing effect, easy to use; gentle to hands.	0,5-2%	40-80 °C	1 / 5 / 25 kg	
<b>INNOPON hand dishwashing powder</b> with excellent degreasing effect, easy to use; gentle to hands.	0,5-2%	25-45 °C	20 kg	

INNOVENG 1 KFT. • Tel.: +36-70 362-8756, +36-23 80-17-80, +36-23 80-17-81 Fax: +36-23 42-19-33

[www.innoveng1.hu](http://www.innoveng1.hu)

Clean...

...everywhere in every way

Recommended for professional users



	Product description, area of application:	Dosage:	Temperature/ Contact time:	Packaging:
<b>PROFESSIONAL KITCHENS - HYGIENE</b>	<b>Disinfection</b>			
	<b>INNO-CHLOR TABS</b> chlorine containing disinfectant tablets- bactericidal (MRSA), fungicide, tuberculocidal, sporocidal; used to prepare active chlorine containing disinfectant solution.	2 tablets / 1 litre water	room temp. 5 min B, MRSA, F/ room temp. 30 min/ V,T,S	1 kg bucket
	<b>INNO-CHLOR GRAN</b> chlorine containing disinfectants granulates - bactericidal (MRSA), fungicidal, tuberculocidal, sporocidal; active chlorine content: 56% (w/w).	6 g / 1 litre water	room temp. 5 min B, MRSA, F/ room temp. 30 min/ V,T,S	60 gr / 1 kg / 4 kg 5 kg bucket
	<b>Automatic dishwashing/automatic dishwashing rinse</b>			
	<b>INNOFLUID TF KLÓR MG</b> chlorine containing, low foaming, liquid automatic dishwashing detergent, with bactericidal and fungicidal activity.	0,5-1%	70 °C / 3 min. 50 °C / 5 min.	5 / 20 litre
	<b>INNOFLUID TF KLÓR MG HARD</b> chlorine containing low foaming, liquid automatic dishwashing detergent with bactericidal and fungicidal activity; excellent for use in hard water	2%	40 °C / 5 min	5 / 20 litre
	<b>INNO-GLASS</b> automatic dishwasher detergent for glasses	0,1-0,3%	50-80 °C/according to the dishwasher user manual	5 / 20 litre
	<b>INNO-OVEN CLEAN</b> oven steamer cleaner, removes burnt oils, greases, food scraps	undiluted/ or according to the user manual	room temp. 3-5 min / according to the user manual	5 litre
	<b>INNO-BRITE</b> rinse aid for dishwashers; is recommended to rinse after machine dishwashing; the surface becomes bright, shiny and free from chemical residues.	0,01-0,03%	85 °C / according to the dishwasher user manual	5 / 20 litre
	<b>Surface disinfecting, no rinse needed</b>			
	<b>FOOD-SEPT</b> surface disinfectant based on alcohol mixture, with bactericidal, fungicidal effect	undiluted	drying / 4 min.	1 l spray bottle / 5 / 20 litre
	<b>Limescale removing</b>			
	<b>INNOFLUID ACID SX</b> limescale and rust remover with degreasing effect; can damage zinc, limestone or marble surfaces, therefore is recommended to carry out a test before using.	1-5% 5-20% undiluted	20-60 °C / 30-5 min. 20-60 °C / 20-3 min. 20-60 °C / 2-1h	750 ml 1 / 5 / 20 litre
	<b>INNOFLUID ACID TX</b> low foaming limescale and rust remover; can damage zinc, limestone or marble surfaces, therefore is recommended to carry out a test before using.	1-5% 5-10% 30-70%	20-60 °C / 30-5 min. 20-60 °C / 30-5 min. 20-60 °C / 2-1h	1 / 5 / 20 litre
	<b>ACIDO-SEPT S</b> disinfectant lime-scale remover with bactericidal (MRSA), yeasticidal effect	5% 10% 10-20%	20-50 °C / 10 min. 20-50 °C / 5 min. 20-50 °C / 30-10 min.	1 / 5 / 20 litre

T-tuberculocidal  
S-sporocidal  
B-bactericidal  
F-fungicidal

INNOVENG 1 KFT. • Tel.: +36-70 362-8756, +36-23 80-17-80, +36-23 80-17-81 Fax: +36-23 42-19-33

[www.innoveng1.hu](http://www.innoveng1.hu)

Clean...

...everywhere in every way

Recommended for professional users



	<i>Product description, area of application:</i>	<i>Dosage:</i>	<i>Temperature/ Contact time:</i>	<i>Packaging:</i>
<b>BUILDINGS - HYGIENE</b>	<b>Cleaning &amp; disinfection of ceramic walls, floor tile surfaces and objects in sanitary areas</b>			
	<b>INNO-DEZ</b> bactericidal (MRSA), fungicidal, tuberculocidal, virucidal surface concentrate disinfectant cleaner; slightly alkaline; aldehyde free; cleans and disinfects in one step.	0,5% 1,5% 2%	20-40 °C/60 min 20-40 °C/30 min 20-40 °C/15 min	1 / 5 / 20 litre
	<b>INNOCID</b> slightly alkaline, bactericidal (MRSA), fungicidal, tuberculocidal, virucidal, sporocidal surface concentrate disinfectant cleaner; cleans and disinfects in one step.	0,5% / 1% / 2% T: 1,5% S: 3%	20-40 °C/60/30/15 min 20-40 °C/60 min 20-40 °C/60 min	1 / 5 / 20 litre
	<b>INNOFLUID TF KLÓR T</b> chlorine containing, bactericidal (MRSA), fungicidal, surface disinfectant cleaner; low foaming, suitable for manually or machine application.	1% 2%	40 °C/5 min 20 °C/10 min	750 ml / 1 / 5 / 20 litre
	<b>CHLOR-SEPT</b> chlorine containing, strongly alkaline, bactericidal (MRSA), fungicidal, surface disinfectant cleaner, Not recommended for high-glossy metal surfaces, aluminium, marble, natural wood surfaces.	undiluted 5% / 10% 3%	25 °C/1 min 35 °C/10 min / 5 min 45 °C/15 min	1 / 5 / 20 litre
	<b>INNO-CHLOR-FOAM</b> chlorine containing, bactericidal, fungicidal surface disinfectant cleaner; high foaming, can be used in foam generators for tiles and smooth surface cleaning. Recommended nozzle pressure 4-6 bars.	3%	room temperature/ 5 min	1 / 5 / 20 litre
	<b>INNOPON TF KLÓR TAK</b> chlorine containing, bactericidal, fungicidal powder surface disinfectant cleaner; recommended for manually cleaning	2%	20 °C/15 min	5 / 25 kg
	<b>Disinfection</b>			
	<b>INNO-CHLOR TABS</b> chlorine containing disinfectant tablets- bactericidal (MRSA), fungicidal, tuberculocidal, sporocidal; used to prepare active chlorine containing disinfectant solution	2 tablets/ 1 litre water	room temp. 5 min B, MRSA, F/ room temp. 30 min/ V,T,S	1 kg bucket
	<b>INNO-CHLOR GRAN</b> chlorine containing disinfectant granulates - bactericidal (MRSA), fungicidal, tuberculocidal, sporocidal; active chlorine content: 56% (w/w)	6 g/ 1 litre water	room temp. 5 min B, MRSA, F/ room temp. 30 min/ V,T,S	60 gr / 1 kg/ 4kg/ 5 kg bucket
	<b>Floor cleaning /Furniture care</b>			
	<b>INNO-RAPID</b> floor cleaner, contains a special surfactant mixture with excellent wetting ability; suitable for manually and machine application.	0,5-5%	room temperature	1 / 5 / 20 litre
	<b>INNO-SPRINT</b> floor cleaner, contains a special surfactant mixture and alcohol for fast drying.	0,5-5%	room temperature	5 / 20 litre
	<b>INNO-FIX</b> liquid floor cleaner and polisher, can be used on wood, plastic, ceramic tiles floors; for manually or machine application.	1st application: 10-20% regularly use: 1-2%	room temperature	1 / 5 / 20 litre
<b>FIX-OLETTA</b> furniture care product with wax, for cleaning and polishing wood, plastic, ceramic tiles surfaces.	undiluted	room temperature	500 ml spray head bottle/ 5 litre	

T-tuberculocidal  
S-sporocidal  
B-bactericidal  
F-fungicidal

INNOVENG 1 KFT. • Tel.: +36-70 362-8756, +36-23 80-17-80, +36-23 80-17-81 Fax: +36-23 42-19-33

[www.innoveng1.hu](http://www.innoveng1.hu)



Clean...

...everywhere in every way

Recommended for professional users



	<i>Product description, area of application:</i>	<i>Dosage:</i>	<i>Temperature/ Contact time:</i>	<i>Packaging:</i>
<b>BUILDINGS - HYGIENE</b>	<b>Sanitary cleaning, descaling</b>			
	<b>INNOLFLUID ACID SX</b> limescale and rust remover with degreasing effect; can damage zinc, limestone or marble surfaces, therefore is recommended to carry out a test before using; contains corrosion inhibitors.	1-5% 5-20% undiluted	20-60 °C/ 30-5 min. 20-60 °C/ 20-3 min. 20-60 °C/ 2-1h	750 ml 1 / 5 / 20 litre
	<b>INNOFLUID ACID TX</b> low foaming limescale and rust remover; can damage zinc, limestone or marble surfaces, therefore is recommended to carry out a test before using; contains corrosion inhibitors.	1-5% 5-10% 30-70%	20-60 °C/ 30-5 min. 20-60 °C/ 30-5 min. 20-60 °C/ 2-1h	1 / 5 / 20 litre
	<b>ACIDO-SEPT S</b> disinfectant lime-scale remover with bactericidal (MRSA), yeasticidal effect; contains corrosion inhibitors.	5% 10% 10-20%	20-50 °C/ 10 min. 20-50 °C/ 5 min. 20-50 °C/ 30-10 min.	1 / 5 / 20 litre
	<b>INNO-ACID</b> foaming limescale remover. Suitable for all kind of surfaces, except zinc, limestone, marble and acid-sensitive surfaces; contains corrosion inhibitors.	undiluted or 5-30% higitásban	20-60 °C/30-5 min	1 / 5 litre
	<b>ECO-ACID</b> citric acid based limescale remover; suitable for all kind of surfaces, except zinc, limestone, marble and acid-sensitive surfaces.	1-5% 5-20% undiluted	20-60 °C/ 30-5 min. 20-60 °C/ 20-3 min. 20-60 °C/ 2-1h	1 / 5 litre
	<b>INNO-PISS CLEAN</b> descaler and cleaner- for removing stubborn limescale deposits and urine stone; contains corrosion inhibitors.	5-30%	20-60 °C/30-5 min	750 ml / 5 litre
	<b>FLASH</b> ready-to use-limescale remover. Suitable for ceramic wall and floor tile surfaces, objects in sanitary areas (wash-basins, tubs, etc.); contains corrosion inhibitors.	undiluted	20-60 °C/30-5 min	500 ml spray bottle
	<b>SUPER FLASH</b> foaming lime scale remover. Can damage zinc, limestone or marble surfaces; contains corrosion inhibitors.	undiluted or 10-50%	20-60 °C/30-5 min	1 / 5 litre
	<b>Deodorization</b>			
	<b>INNO-00 Toilet Oil</b> highly effective aromatic oil with long-lasting effect; sprayed on toilet bowl, eliminates unpleasant odours and leaves a fresh and pleasant aroma in sanitary areas.	undiluted		1 litre
	<b>Windows, glass surfaces cleaning</b>			
<b>JADE</b> alcohol containing windows cleaner, with good wetting ability and excellent cleaning effect, fast drying.	undiluted		500 ml spray bottle / 5 litre	
<b>IRIS</b> alcohol containing highly effective surface cleaner; suitable for alcohol resistant surfaces (plastic, glass, etc.)	undiluted		500 ml spray bottle / 5 litre	
<b>Stainless steel care</b>				
<b>INNOX-NEW</b> ready to-use cleaner for cleaning and maintaining indoor metal surfaces made of stainless steel; removes effortlessly fingerprints and other dirt from metal surfaces	undiluted		500 ml spray bottle / 5 litre	

Clean...

...everywhere in every way

Recommended for professional users



	<i>Product description, area of application:</i>	<i>Dosage:</i>	<i>Temperature/ Contact time:</i>	<i>Packaging:</i>
<b>TEXTIL - HYGIENE</b>	<b>Powder detergents / enzymes and surfactants containing</b>			
	<b>INNOPON TEXT Előmosó Hús</b> enzymatic powder laundry detergent with increased enzyme content, for food processing areas	10-15 g / 1 kg dry laundry	40-50 °C / 25-5 min. v. 60 min.	20 kg
	<b>INNOPON TEXT Előmosó K/P</b> enzymatic powder laundry detergent for hospitals	10-15 g / 1 kg dry laundry	40-50 °C / 25-5 min. v. 60 min.	20 kg
	<b>BLANKA</b> powder laundry detergent, contains enzymes which remove blood and grease stains from the laundry.	10-15 g / 1 kg dry laundry	30-90 °C / 20-10 min.	20 kg
	<b>ÓZIKE</b> powder laundry detergent, which enzymes for removing of blood stains and dirt from the laundry.	10-15 g / 1 kg dry laundry	40-90 °C / 30-15 min. 60 °C / 20 min	20 kg
	<b>INNOPON TEXT GREEN</b> industrial laundry detergent	E: 5-7 g/ kg dry laundry F: 10-14 g/ kg dry laundry	40-50 °C / 30-15 min. 60-90 °C / 40-25 min.	20 kg
	<b>INNOPON TEXT GREEN 2</b> industrial laundry detergent	E: 5-7 g/ kg dry laundry F: 10-14 g/ kg dry laundry	40-50 °C / 30-15 min. 60-90 °C / 40-25 min.	20 kg
	<b>INNOPON TEXT Főmosó</b> industrial laundry detergent	10-15 g / 1 kg dry laundry	30-90 °C / 30-10 min.	20 kg
	<b>Disinfectant powder detergents</b>			
	<b>INNOPON TEXT Főmosó CI</b> disinfectant laundry detergent for white textiles	10-15 g / 1 kg dry laundry	30-60 °C / 30-10 min.	20 kg
	<b>INNOPON TEXT Főmosó Q</b> disinfectant laundry detergent for coloured textiles	10-15 g / 1 kg dry laundry	30-60 °C / 30-10 min.	20 kg
	<b>Fabric softeners, washing boosters</b>			
	<b>BIANCA</b> fabric softener	2-3 g / 1 kg dry laundry		5 / 20 litre
<b>BIANCA DEO</b> deodorizing fabric softener	2-3 g / 1 kg dry laundry		5 / 20 litre	
<b>BIO-FORTEXT</b> washing booster paste. Can be used in the pre - and main wash as washing booster, or for the pre-treatment of stains on white and coloured laundry.	1-5 g / 1 kg dry laundry		5 kg bucket	

W- main wash  
P- pre-wash

INNOVENG 1 KFT. • Tel.: +36-70 362-8756, +36-23 80-17-80, +36-23 80-17-81 Fax: +36-23 42-19-33

[www.innoveng1.hu](http://www.innoveng1.hu)

Clean...

...everywhere in every way

Recommended for professional users



	<i>Product description, area of application:</i>	<i>Dosage:</i>	<i>Temperature/ Contact time:</i>	<i>Packaging:</i>
<b>INDUSTRIAL USE</b>	<i>Metals degreasing by dipping method for use before plating and painting</i>			
	<b>INNOPON RÁBA P</b> strongly alkaline, high foaming powder degreaser for iron and steel products. Can be used in one-zone equipment because doesn't need rinse. Suitable for floor cleaning as well.	1-5%	60-90 °C/ 30-3 min.	25 kg
	<b>INNOPON RÁBA PM</b> high foaming powder degreaser for steel and non – ferrous metals. Can be used at low temperatures. Suitable for floor cleaning as well.	1-5%	30-90 °C/ 20-3 min.	25 kg
	<i>Metals degreasing by spraying method for use before plating and painting</i>			
	<b>INNOPON RÁBA T</b> strongly alkaline, low foaming powder degreaser for iron and steel products. Recommended nozzle pressure 1-2 bars. Suitable for floor cleaning as well.	0,5-3%	60-90 °C/ 30-3 min.	25 kg
	<b>INNOPON ALU T</b> slightly alkaline, low foaming powder degreaser for aluminium and non – ferrous metals. Recommended nozzle pressure 1-2 bars.	1-3%	60-90 °C/ 30-3 min.	25 kg
	<b>INNOFLUID ALK T</b> strongly alkaline, low foaming concentrate liquid degreaser. Not recommended for surfaces from aluminium, zinc and non – ferrous metals	0,5-3%	60-90 °C/ 30-3 min.	5 / 20 litre
	<b>INNOFLUID METAL T</b> low foaming liquid concentrate degreaser, efficient at low temperature as well. Recommended nozzle pressure 1,5 - 3 bars.	1-5%	30-90 °C/ 20-3 min.	5 / 20 litre
	<i>Acidic passivation</i>			
	<b>INNOFLUID ACID TX</b> phosphoric acid based low foaming concentrate	1-5%	20-60 °C/ 30-5 min.	5 / 20 litre
	<i>Car engine and parts hand cleaning, metal working machines/ equipment cleaning</i>			
	<b>INNOFLUID METAL P</b> high foaming liquid concentrate degreaser; iron and steel objects can be cleaned together with aluminium and non – ferrous metals objects even in the same cleaning solution	1-5%	30-90 °C/ 20-3 min.	5 / 20 litre
	<i>Removing of soot and burnt greases from steel and its alloys</i>			
	<b>INNOFLUID ALK G</b> high foaming, strongly alkaline, liquid concentrate degreaser, for removing of burnt lubricants and soot (grill cleaner). Not recommended to use on non-ferrous metal surfaces, like aluminium, bronze, zinc and its alloys.	10-100%	20-90 °C/ 10 min.-4h	5 / 20 litre